
The Art of Washroom Care



TRAINING GUIDE



Butcher's Product Gallery

DILUTION CONTROL SYSTEMS







Outpost™ Compact, Versatile **Dispensing System**



Ranger™ Mobile Cleaning System

FIXTURES & TILE



Bath Mate™ Non-Acid Washroom Cleaner

16 16 16 16



Tracer™ II Disinfectant Cleaner

30 30 30 Available in Command Center and Outpost in 2004.



Tidal Wave™ Extra Mild Non-Acid Washroom Cleaner

29



Bulldozer™ Extra Heavy-Duty Acidic Washroom Cleaner



Bright™ Disinfectant Foam Cleaner

MILDEW, STAINS & MARKS








The Washroom,

more than any other area, is where people judge the cleanliness of your facility. Clean, fresh-smelling washrooms generate compliments. Less than perfect washrooms bring you nothing but complaints. Butcher's has the tools and products you need to keep washrooms looking and smelling great.



DEODORANTS









BreakDown® Enzyme Odor Eliminator Available in Fresh.

Available in Fresh, Citrus, Cherry Almond, and Apple Scents



Air Mate™ Continuous Air Freshener

GLASS & MIRRORS



TOILETS & URINALS



SHOWER ROOMS



FLOORS



Sunbath Enzyme® Floor Cleaner with Enzymes



Quest 256®
Fragrance-Free
1:256 Neutral
Disinfectant
Cleaner
34 34 34



Morning Mist® Full-Fragrance Neutral Disinfectant Cleaner






Counterbalance™ Neutralizer Conditioner/ Odor Counteractant

Public Washroom

PROCEDURES



Gather equipment.



Announce service.



Wear protective equipment.




Refill supplies.



Remove and replace bag.



Remove, replace and tie liners.



Dust.



Sweep floor.



Spray inside and outside. Don't flush.
















Spray and wipe sinks and counters.



Spot clean partitions, walls, and high-touch surfaces.



Spray and wipe mirrors.



Polish chrome.



Scrub inside. Flush.



Wipe outside.



Spray deodorant.



Inspect and report repairs.



Wet mop.










Guest Washroom

PROCEDURES



Gather equipment.




Check room status. Announce service.




Wear protective equipment.




Place cart across door to block off room.




Remove towels and used supplies.



Remove trash. Replace and tie liners.



High dust.



Sweep floor.



Spray inside and outside of toilet. Don't flush.






















Spray shower walls and fixtures.




Spray and wipe sink and counter.



Spray and wipe mirrors. Polish chrome.



Spot clean.




Scrub shower walls and fixtures.




Rinse shower walls and fixtures.



Scrub inside of toilet and wipe outside. Flush.



Replace guest supplies.



Wet mop floor.









Shower Room

PROCEDURES FOR THE FOAM GUN




Gather equipment. Put out wet floor signs.




Wear protective equipment and proper footwear.



Fill foam gun with chemical.



Attach gun handle. Adjust metering stem to set dilution rate.



Connect hose to water supply. Turn on cold water.



Spray walls from bottom to top. Let dwell 2-3 minutes.



Scrub walls and floors.



Rinse from top to bottom.



Squeegee excess moisture to floor drains.
















PROCEDURES FOR THE RANGERT



Gather equipment. Put out wet floor signs.



Wear protective equipment and proper footwear.



Connect hose to water supply. Turn on cold water.



Select proper product.



Spray walls from bottom to top. Let dwell 2-3 minutes.



Scrub walls and floors.



Rinse from top to bottom.



Squeegee excess moisture to floor drains.



Disinfect area. Allow to dry.










Periodic Cleaning

HEAVY-DUTY BOWL CLEANING



Clean once a week or as needed.



Gather equipment.



Wear protective equipment.



Flush toilet.



Push water down past the trap with bowl swab.




Spray inside of bowl with chemical. Allow 5-10 minutes dwell time.



Scrub with bowl swab. Flush.



Don't use bowl swab on seat.





10






REFILL AIR MATE" CARTRIDGE



Change cartridge once a month.




Push button on top of unit to open cabinet.




Remove old cartridge and battery.



Remove lids from new cartridge. Insert new battery into cartridge.



Place new cartridge in cabinet. Be sure to match the metal tab to the cartridge notch.



Close cabinet.



